

Insulated Line Post

The tailor-made Electric Fence Post



Insulated Line Post

The tailor-made Electric Fence Post.

Simple, low cost installation – no machinery required

Multiple wire heights – pre-formed wire attachment locations with snap-on clips

Strong, yet flexible – solid 16mm fibreglass core enables flex on impact

Perfectly insulated – UV stabilised polyethylene outer





**Want a permanent
Electric Fence you
can install yourself?
Problem solved.**



**Want cost effective
waterway protection?
Problem solved.**



**Want safety
with style?
Problem solved.**



**Need to get to
places tractors
can't?
Problem solved.**



Insulated Line Post

The tailor-made Electric Fence Post



EASY TO TRANSPORT




Light, smooth and compact. Can be transported inside the farmer's vehicle which further reduces costs.

LONG LIFE

High quality materials ensure a long life. A UV protected polyethylene sheath protects fibreglass from UV damage.

FAST AND SIMPLE INSTALLATION

The composite post can be easily installed with a hand rammer, which reduces installation time and avoids the need for heavy, expensive equipment. Wires simply clip onto the post, making it significantly faster than stapling or pinning on traditional post insulator systems.

POST HEIGHT EXCL. FOOT (HEIGHT INC. FOOT)	950mm (1370mm)	1140mm (1600mm)	1350mm (1900mm)
PRODUCT CODE:	G74203	G74213	G74223
PACKAGE QUANTITY:	10	10	10
ANIMALS CONTROLLED:			



MULTIPLE CONFIGURABLE WIRE HEIGHTS

Pre-formed wire attachment locations enable many different fence configurations.

FLEXIBLE POSTS

The strong yet flexible solid fibreglass core enables the post to flex when the fence is impacted, preventing broken or bent posts, and minimising animal injury.



STRONG GROUND ANCHORING

The multi-flanged foot design ensures strong ground anchoring, reducing the likelihood of post heave or post misalignment over time.

Recommended Insulated Line Post spacing on flat ground is 7-10 metres.

Contact your local Territory Manager for spacing recommendations for undulating country.


Insulators

Insulated Line Post Clips

*Sold separately



- Fast to install, easy to use, no tools required.
- Glass-reinforced nylon “snap-on” clips form a reliable connection to the post.
- Up to 160KG of holding force.
- Typically twice as strong as most conventional wood or steel post insulator attachment systems.
- Fits all wire types up to 8mm/0GA.



Insulated Line Post Clip

PRODUCT CODE:

G74434

PACKAGE QUANTITY:

20

Fits all Gallagher Insulated Line Posts

Insulated Line Post 40mm Tape Clip

*Sold separately



- Fast to install, easy to use, no tools required.
- Glass-reinforced nylon "snap-on" clips form a reliable connection to the post.
- Up to 160KG of holding force.
- Typically twice as strong as most conventional wood or steel post insulator attachment systems.
- Soft rubber jaw locks tape in place and prevents wear.
- Fits all tape conductors up to 40mm wide.



Insulated Line Post 40mm Tape Clip

PRODUCT CODE:

G74703

PACKAGE QUANTITY:

20

Fits all Gallagher Insulated Line Posts


Electric Fence Dropper

Fence further for less

Lowers fence cost by extending post spacing.


Suitable for multi-wire sheep, goat and cattle electric fence applications supported by wood, steel and Gallagher Insulated Line Posts.

Lower fencing costs - Electric Fence Droppers maintain wire spacing, reducing the number of posts required in a fence line.



Easy to install - No machinery required, simply installed on the fence line using a screwdriver.





Electric Fence Dropper




Fence further for less

HIGH STRENGTH, SECURE WIRE ATTACHMENT

Glass-reinforced polypropylene insulator secures wires in correct position for reliable wire attachment.

SUPERIOR INSULATION

Wire attachment points are all electrically isolated from one another to allow for earth return systems and minimise faults.

DROPPER LENGTH	800mm	985mm
PRODUCT CODE:	G71701	G71702
PACKAGE QUANTITY:	10	10
FENCE HEIGHT:	950mm	1140mm
FENCE WIRES:	Up to 5	Up to 6
INSULATOR SPACING:	150, 300, 565	150, 300, 505, 755
ANIMALS CONTROLLED:		 




MULTIPLE WIRE SPACING OPTIONS

Pre-formed wire attachment locations for 5 or 6 wire fence spacings for sheep, goat or cattle wire heights.

LONG LIFE

High quality galvanised steel and UV protected glass reinforced polypropylene, backed by a 10 year warranty.



Recommended Electric Fence Dropper spacing on flat ground is 5 metres, increasing post spacing to 15 metres. Contact your local Territory Manager for spacing recommendations for undulating ground.

Fast install, easy to use, no machinery required



- 1** Put sleeve over the post to prevent the post flexing while it is being rammed in to the ground.



- 2** Line up the post to the guide wires. Ensure the wider wings on the foot are running parallel to the fence wire.




- 3** Ram the post in to the ground until the flange on top of the foot is level with the ground.



- 4** Snap the fence wires to the post using the Insulated Line Post Clip.


Tools

Installation accessories



Line Post Rammer G52501

Designed specifically to drive/ram the Insulated Line Post into the ground



Line Post Sleeve 1140mm sleeve - G53002

Prevents the Insulated Line Post from flexing when driving into hard ground or using a standard post rammer.



Line Post Lifter Attachment G52701

Attaches to most Steel Post Lifters to safely pull out the Insulated Line Post.



